ELSEVIER

Journal of Affective Disorders 73 (2003) 311–313

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Altshuler, L.L., see Rasgon, N.L. (74) 299
Anderson, K.G., see Widiger, T.A. (74) 59
Askénazy, F.L., Sorci, K., Benoit, M., Lestideau, K., Myquel, M. and Lecrubier, Y.
Anxiety and impulsivity levels identify relevant subtypes in adolescents with at-risk behavior (74) 219
Audenaert, K., see van Heeringen, C. (74) 149
Ågren, H., see Ehnvall, A. (74) 185

Bar-El, Z., see Teichman, Y. (74) 247
Barnett, B., see Matthey, S. (74) 139
Benlloch, L., see Urretavizcaya, M. (74) 293
Benoit, M., see Askénazy, F.L. (74) 219
Birkenhäger, T.K., Pluijms, E.M. and Lucius, S.A.P.
ECT response in delusional versus non-delusional depressed inpatients (74) 191
Birnbaum, H.G., Leong, S.A. and Greenberg, P.E.
The economics of women and depression: an employer's perspective (74) 15
Blehar, M.C. and Keita, G.P.
Women and depression: a millennial perspective (74) 1
Boath, E., Major, K. and Cox, J.
When the cradle falls II: the cost-effectiveness of treating postnatal depression in a psychiatric day hospital compared with routine primary care (74) 159
Born, L., see Steiner, M. (74) 67
Bräunig, P., see Krüger, S. (74) 279
Brilman, E.I., see Oldehinkel, A.J. (74) 237
Brinkhuijsen, M., Koenegracht, F. and Meesters, Y.
Symptoms of seasonal affective disorder and of obsessive-compulsive disorder reduced by light therapy (74) 307

Cardoner, N., see Urretavizcaya, M. (74) 293
Cavanagh, J., see Jackson, A. (74) 209
Christensen, E.M., Larsen, J.K. and Gjerris, A.
The stability of the Seasonal Pattern Assessment Questionnaire score index over time and the validity compared to classification according to DSM-III-R (74) 167
Cloninger, C.R., see Grucza, R.A. (74) 123
Cooke, R.G., see Krüger, S. (74) 279
Cox, J., see Boath, E. (74) 159
Csorba, J., Rózsa, S., Gádoros, J., Vetró, Á., Kaczvinszky, E., Sarungi, E., Makra, J. and Kapornay, K.
Suicidal depressed vs. non-suicidal depressed adolescents: differences in recent psychopathology (74) 229

Dal Grande, E., see Goldney, R.D. (74) 267
Dierckx, R.A., see van Heeringen, C. (74) 149
Dumont, F., see van Heeringen, C. (74) 149
Dunn, E., see Steiner, M. (74) 67

Ehnvall, A., Sjögren, M., Zachrisson, O.C.G. and Ågren, H.
Lifetime burden of mood swings and activation of brain norepinephrine turnover in patients with treatment-refractory depressive illness (74) 185
Elizur, A., see Teichman, Y. (74) 247
Elman, S., see Rasgon, N.L. (74) 299

Fisher, L.J., see Goldney, R.D. (74) 267
Formann, A.K., see Voracek, M. (74) 257
Fortney, J., see Pyne, J.M. (74) 23
Fülöp, G., see Voracek, M. (74) 257

Gádoros, J., see Csorba, J. (74) 229
Gilbert, P., see Sloman, L. (74) 107
Gjerris, A., see Christensen, E.M. (74) 167
Goldney, R.D., Dal Grande, E., Fisher, L.J. and Wilson, D.
Population attributable risk of major depression for suicidal ideation in a random and representative community sample (74) 267
Greenberg, P.E., see Birnbaum, H.G. (74) 15
Griez, E., see Schruers, K. (74) 203
Griez, E., see Schruers, K. (74) 305
Grucza, R.A., Przybeck, T.R., Spitznagel, E.L. and Cloninger, C.R.
Personality and depressive symptoms: a multi-dimensional analysis (74) 123

Hadzi-Pavlovic, D., see Parker, G. (74) 131
Hammen, C.
Interpersonal stress and depression in women (74) 49
Hasey, G., see Sloman, L. (74) 107
Holsboer, F., see Modell, S. (74) 173
Howie, P., see Matthey, S. (74) 139

Huber, J., see Modell, S. (74) 173

doi:10.1016/S0165-0327(03)00066-1

Hwang, S., see Rasgon, N.L. (74) 299

Isohanni, M., see Mäki, P. (74) 273

Jackson, A., Cavanagh, J. and Scott, J.
A systematic review of manic and depressive prodromes (74) 209
Jokelainen, J., see Mäki, P. (74) 273
Joukamaa, M., see Mäki, P. (74) 273

Kaczvinszky, E., see Csorba, J. (74) 229
Kapornay, K., see Csorba, J. (74) 229
Kavanagh, D.J., see Matthey, S. (74) 139
Keita, G.P., see Blehar, M.C. (74) 1
Kessler, R.C.
Epidemiology of women and depression (74) 5
Koenegracht, F., see Brinkhuijsen, M. (74) 307
Korenman, S.G., see Rasgon, N.L. (74) 299
Kovacs, M., Obrosky, D.S. and Sherrill, J.
Developmental changes in the phenomenology of depression in girls compared to boys from childhood onward (74) 33
Krüger, S., Cooke, R.G., Spegg, C.C. and Bräunig, P.
Relevance of the catatonic syndrome to the mixed manic episode (74) 279

Larsen, J.K., see Christensen, E.M. (74) 167
Lauer, C.J., see Modell, S. (74) 173
Lecrubier, Y., see Askénazy, F.L. (74) 219
Leong, S.A., see Birnbaum, H.G. (74) 15
Lestideau, K., see Askénazy, F.L. (74) 219
Leuner, B., see Shors, T.J. (74) 85
Lucius, S.A.P., see Birkenhäger, T.K. (74) 191

Major, K., see Boath, E. (74) 159
Mäki, P., Veijola, J., Räsänen, P., Joukamaa, M., Valonen, P., Jokelainen, J. and Isohanni, M.
Criminality in the offspring of antenatally depressed mothers: a 33-year follow-up of the Northern Finland 1966 Birth Cohort (74) 273
Makra, J., see Csorba, J. (74) 229
Matthey, S., Barnett, B., Howie, P. and Kavanagh, D.J.
Diagnosing postpartum depression in mothers and fathers: whatever happened to anxiety? (74) 139
Meesters, Y., see Brinkhuijsen, M. (74) 307
Menchón, J.M., see Urretavizcaya, M. (74) 293
Mertens, J., see van Heeringen, C. (74) 149
Mitchell, P., see Parker, G. (74) 131
Modell, S., Huber, J., Holsboer, F. and Lauer, C.J.
The Munich Vulnerability Study on Affective Disorders: risk factors for unipolarity versus bipolarity (74) 173
Moreno, I., see Urretavizcaya, M. (74) 293
Myquel, M., see Askénazy, F.L. (74) 219

Obrosky, D.S., see Kovacs, M. (74) 33
Oldehinkel, A.J., Ormel, J., Brilman, E.I. and van den Berg, M.D.
Psychosocial and vascular risk factors of depression in later life (74) 237
Ormel, J., see Oldehinkel, A.J. (74) 237

Parker, G., Roy, K., Hadzi-Pavlovic, D., Mitchell, P. and Wilhelm, K.
Distinguishing early and late onset non-melancholic unipolar depression (74) 131
Parry, B.L., see Westlund Tam, L. (74) 97
Pluijms, E.M., see Birkenhäger, T.K. (74) 191
Pope, M. and Scott, J.
Do clinicians understand why individuals stop taking lithium? (74) 287
Przybeck, T.R., see Grucza, R.A. (74) 123
Pyne, J.M., Smith, J., Fortney, J., Zhang, M., Williams, D.K. and Rost, K.
Cost–effectiveness of a primary care intervention for depressed females (74) 23

Rao, R.C., see Rasgon, N.L. (74) 299
Räsänen, P., see Mäki, P. (74) 273
Rasgon, N.L., Rao, R.C., Hwang, S., Altshuler, L.L., Elman, S., Zuckerbrow-Miller, J. and Korenman, S.G.
Depression in women with polycystic ovary syndrome: clinical and biochemical correlates (74) 299
Rost, K., see Pyne, J.M. (74) 23
Roy, K., see Parker, G. (74) 131
Rózsa, S., see Csorba, J. (74) 229

Sachs, G.S., see Yildiz, A. (74) 197
Sarungi, E., see Csorba, J. (74) 229
Schruers, K. and Griez, E.
The effects of tryptophan depletion on mood and psychiatric symptoms (74) 203
Schruers, K. and Griez, E.
Letter to the Editor (74) 305
Scott, J., see Jackson, A. (74) 209
Scott, J., see Pope, M. (74) 287
Serrallonga, J., see Urretavizcaya, M. (74) 293
Sherrill, J., see Kovacs, M. (74) 33
Shor, H., see Teichman, Y. (74) 247
Shors, T.J. and Leuner, B.
Estrogen-mediated effects on depression and memory formation in females (74) 85
Sjögren, M., see Ehnvall, A. (74) 185
Slegers, G., see van Heeringen, C. (74) 149
Sloman, L., Gilbert, P. and Hasey, G.
Evolved mechanisms in depression: the role and interaction of attachment and social rank in depression (74) 107
Smith, J., see Pyne, J.M. (74) 23
Sonneck, G., see Voracek, M. (74) 257
Sorci, K., see Askénazy, F.L. (74) 219
Spegg, C.C., see Krüger, S. (74) 279
Spitznagel, E.L., see Grucza, R.A. (74) 123
Steiner, M., Dunn, E. and Born, L.
Hormones and mood: from menarche to menopause and beyond (74) 67

Teichman, Y., Bar-El, Z., Shor, H. and Elizur, A.
Cognitive, interpersonal, and behavioral predictors of patients' and spouses' depression (74) 247

Urretavizcaya, M., Moreno, I., Benlloch, L., Cardoner, N., Serrallonga, J., Menchón, J.M. and Vallejo, J.
Auditory event-related potentials in 50 melancholic patients: increased N100, N200 and P300 latencies and diminished P300 amplitude (74) 293

Vallejo, J., see Urretavizcaya, M. (74) 293
Valonen, P., see Mäki, P. (74) 273
van den Berg, M.D., see Oldehinkel, A.J. (74) 237
van Heeringen, C., Audenaert, K., Van Laere, K., Dumont, F., Slegers, G., Mertens, J. and Dierckx, R.A.
Prefrontal 5-HT_{2a} receptor binding index, hopelessness and personality characteristics in attempted suicide (74) 149
Van Laere, K., see van Heeringen, C. (74) 149
Veijola, J., see Mäki, P. (74) 273
Vetró, Á., see Csorba, J. (74) 229
Voracek, M., Formann, A.K., Fülöp, G. and Sonneck, G.
Suicide and general elections in Austria: do preceding regional suicide rate differentials foreshadow subsequent voting behavior swings? (74) 257

Westlund Tam, L. and Parry, B.L.
Does estrogen enhance the antidepressant effects of fluoxetine? (74) 97
Widiger, T.A. and Anderson, K.G.
Personality and depression in women (74) 59
Wilhelm, K., see Parker, G. (74) 131
Williams, D.K., see Pyne, J.M. (74) 23
Wilson, D., see Goldney, R.D. (74) 267

Yildiz, A. and Sachs, G.S.
Age onset of psychotic versus non-psychotic bipolar illness in men and in women (74) 197

Zachrisson, O.C.G., see Ehnvall, A. (74) 185
Zhang, M., see Pyne, J.M. (74) 23
Zuckerbrow-Miller, J., see Rasgon, N.L. (74) 299

ELSEVIER

Journal of Affective Disorders 74 (2003) 314–317

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adolescent; Impulsivity; Anxiety; At-risk Behavior **74,** 219

Aftermath of suicide; Suicide rates; General elections; Social cohesion; Suicide survivors **74,** 257

Age of onset; Bipolar illness; Psychosis; Gender **74,** 197

Antidepressant; Estrogen; Fluoxetine; Perimenopausal women **74,** 97

Anxiety; Postnatal depression; Diagnosis; Mothers; Fathers **74,** 139

Anxiety; Impulsivity; Adolescent; At-risk Behavior **74,** 219

At-risk Behavior; Impulsivity; Anxiety; Adolescent **74,** 219

Attachment; Rank; Depression; Defeat; Loss **74,** 107

Attempted suicide; Serotonin; 5-HT_{2a}; Personality; Temperament **74,** 149

Behavioral involvement; Depression; Self-concept; Hostility; Couple **74,** 247

Bipolar affective disorder; Seasonality; SPAQ **74,** 167

Bipolar disorder; Vulnerability; Unipolar depression **74,** 173

Bipolar disorder; Depressive disorders; Manic depression; Prodromal symptoms **74,** 209

Bipolar disorder; Catatonia; Mania; Mixed mania **74,** 279

Bipolar disorder; Lithium; Unipolar disorder; 'Reasons for Stopping Medication' questionnaire; Clinicians; Patients **74,** 287

Bipolar illness; Psychosis; Age of onset; Gender **74,** 197

Canonical correlation; Depression; Temperament; Personality **74,** 123

Catatonia; Mania; Mixed mania; Bipolar disorder **74,** 279

doi:10.1016/S0165-0327(03)00067-3

Cerebrospinal fluid; Depression; Treatment-refractory affective disorder; Life charting, monoamines; Lifetime burden of depression **74,** 185

Clinicians; Lithium; Bipolar disorder; Unipolar disorder; 'Reasons for Stopping Medication' questionnaire; Patients **74,** 287

Costs; Major depression; Female; Women; Economic **74,** 15

Cost–benefit; Depression; Primary care; Gender **74,** 23

Couple; Depression; Self-concept; Hostility; Behavioral involvement **74,** 247

Criminality; Depression; Follow-up; Maternal; Offspring; Pregnancy **74,** 273

Defeat; Attachment; Rank; Depression; Loss **74,** 107

Delusional depression; Major depression; Psychotic depression; Electroconvulsive therapy **74,** 191

Depression; Epidemiology; Mood disorder **74,** 5

Depression; Cost–benefit; Primary care; Gender **74,** 23

Depression; Sex differences; Longitudinal follow-up; Developmental patterns **74,** 33

Depression; Stress; Women; Interpersonal; Family **74,** 49

Depression; Personality disorders; Personality traits **74,** 59

Depression; Attachment; Rank; Defeat; Loss **74,** 107

Depression; Temperament; Personality; Canonical correlation **74,** 123

Depression; Early onset depression; Irritable depression **74,** 131

Depression; Treatment-refractory affective disorder; Life charting, monoamines; Cerebrospinal fluid; Lifetime burden of depression **74,** 185

Depression; Older adults; Vascular risk; Life events; Difficulties; Neuroticism **74,** 237

Depression; Self-concept; Hostility; Behavioral involvement; Couple **74,** 247

Depression; Population attributable risk; Suicidal ideation **74,** 267

Depression; Criminality; Follow-up; Maternal; Offspring; Pregnancy **74,** 273

Depression; Hirsutism; Hyperandrogenism; Insulin resistance; Obesity; Polycystic ovary syndrome **74,** 299

Depressive disorders; Bipolar disorder; Manic depression; Prodromal symptoms **74,** 209

Developmental patterns; Depression; Sex differences; Longitudinal follow-up **74,** 33

Diagnosis; Postnatal depression; Anxiety; Mothers; Fathers **74,** 139

Differences between parent and adolescent interviews; Semi-structured interview—differences in recent psychopathology; Two clinical samples with DSM-IV major depression syndrome: suicidal adolescents (attempters + suicide ideators) and non-suicidal depressed peers **74,** 229

Difficulties; Depression; Older adults; Vascular risk; Life events; Neuroticism **74,** 237

Early onset depression; Depression; Irritable depression **74,** 131

Economic; Major depression; Female; Women; Costs **74,** 15

Electroconvulsive therapy; Major depression; Delusional depression; Psychotic depression **74,** 191

Epidemiology; Mood disorder; Depression **74,** 5

Estrogen; Antidepressant; Fluoxetine; Perimenopausal women **74,** 97

Event-related potentials; P300 component; Melancholic depression; Psychomotor retardation **74,** 293

Family; Depression; Stress; Women; Interpersonal **74,** 49

Fathers; Postnatal depression; Anxiety; Diagnosis; Mothers **74,** 139

Female; Major depression; Women; Economic; Costs **74,** 15

Fluoxetine; Estrogen; Antidepressant; Perimenopausal women **74,** 97

Follow-up; Criminality; Depression; Maternal; Offspring; Pregnancy **74,** 273

Gender; Depression; Cost–benefit; Primary care **74,** 23

Gender; Bipolar illness; Psychosis; Age of onset **74,** 197

General elections; Suicide rates; Social cohesion; Aftermath of suicide; Suicide survivors **74,** 257

Hirsutism; Depression; Hyperandrogenism; Insulin resistance; Obesity; Polycystic ovary syndrome **74,** 299

Hostility; Depression; Self-concept; Behavioral involvement; Couple **74,** 247

5-HT$_{2a}$; Serotonin; Attempted suicide; Personality; Temperament **74,** 149

Hyperandrogenism; Depression; Hirsutism; Insulin resistance; Obesity; Polycystic ovary syndrome **74,** 299

Impulsivity; Anxiety; Adolescent; At-risk Behavior **74,** 219

Insulin resistance; Depression; Hirsutism; Hyperandrogenism; Obesity; Polycystic ovary syndrome **74,** 299

Interpersonal; Depression; Stress; Women; Family **74,** 49

Irritable depression; Depression; Early onset depression **74,** 131

Learning; Sex; Stress; Ovarian steroids; Serotonin; Mood **74,** 85

Life charting, monoamines; Depression; Treatment-refractory affective disorder; Cerebrospinal fluid; Lifetime burden of depression **74,** 185

Life events; Depression; Older adults; Vascular risk; Difficulties; Neuroticism **74,** 237

Lifetime burden of depression; Depression; Treatment-refractory affective disorder; Life charting, monoamines; Cerebrospinal fluid **74,** 185

Lithium; Bipolar disorder; Unipolar disorder; 'Reasons for Stopping Medication' questionnaire; Clinicians; Patients **74,** 287

Longitudinal follow-up; Depression; Sex differences; Developmental patterns **74,** 33

Loss; Attachment; Rank; Depression; Defeat **74,** 107

Major depression; Female; Women; Economic; Costs **74,** 15

Major depression; Delusional depression; Psychotic depression; Electroconvulsive therapy **74,** 191

Mania; Catatonia; Mixed mania; Bipolar disorder **74,** 279

Manic depression; Bipolar disorder; Depressive disorders; Prodromal symptoms **74,** 209

Maternal; Criminality; Depression; Follow-up; Offspring; Pregnancy **74,** 273

Melancholic depression; Event-related potentials; P300 component; Psychomotor retardation **74,** 293

Mixed mania; Catatonia; Mania; Bipolar disorder **74,** 279

Mood; Sex; Stress; Learning; Ovarian steroids; Serotonin **74,** 85

Mood disorder; Epidemiology; Depression **74,** 5

Mood disorders; Women; Neurotransmitters; Sex hormones **74,** 67

Mothers; Postnatal depression; Anxiety; Diagnosis; Fathers **74,** 139

Neuroticism; Depression; Older adults; Vascular risk; Life events; Difficulties **74,** 237

Neurotransmitters; Women; Mood disorders; Sex hormones **74,** 67

Obesity; Depression; Hirsutism; Hyperandrogenism; Insulin resistance; Polycystic ovary syndrome **74,** 299

Offspring; Criminality; Depression; Follow-up; Maternal; Pregnancy **74,** 273

Older adults; Depression; Vascular risk; Life events; Difficulties; Neuroticism **74,** 237

Ovarian steroids; Sex; Stress; Learning; Serotonin; Mood **74,** 85

P300 component; Event-related potentials; Melancholic depression; Psychomotor retardation **74,** 293

Patients; Lithium; Bipolar disorder; Unipolar disorder; 'Reasons for Stopping Medication' questionnaire; Clinicians **74,** 287

Perimenopausal women; Estrogen; Antidepressant; Fluoxetine **74,** 97

Personality; Depression; Temperament; Canonical correlation **74,** 123

Personality; Serotonin; 5-HT_{2a}; Attempted suicide; Temperament **74,** 149

Personality disorders; Depression; Personality traits **74,** 59

Personality traits; Depression; Personality disorders **74,** 59

Polycystic ovary syndrome; Depression; Hirsutism; Hyperandrogenism; Insulin resistance; Obesity **74,** 299

Population attributable risk; Depression; Suicidal ideation **74,** 267

Postnatal depression; Anxiety; Diagnosis; Mothers; Fathers **74,** 139

Postnatal depression; Specialised psychiatric Parent and Baby Day Unit; Routine primary care **74,** 159

Pregnancy; Criminality; Depression; Follow-up; Maternal; Offspring **74,** 273

Primary care; Depression; Cost–benefit; Gender **74,** 23

Prodromal symptoms; Bipolar disorder; Depressive disorders; Manic depression **74,** 209

Psychomotor retardation; Event-related potentials; P300 component; Melancholic depression **74,** 293

Psychosis; Bipolar illness; Age of onset; Gender **74,** 197

Psychotic depression; Major depression; Delusional depression; Electroconvulsive therapy **74,** 191

Rank; Attachment; Depression; Defeat; Loss **74,** 107

'Reasons for Stopping Medication' questionnaire; Lithium; Bipolar disorder; Unipolar disorder; Clinicians; Patients **74,** 287

Routine primary care; Postnatal depression; Specialised psychiatric Parent and Baby Day Unit **74,** 159

Seasonality; Bipolar affective disorder; SPAQ **74,** 167

Self-concept; Depression; Hostility; Behavioral involvement; Couple **74,** 247

Semi-structured interview—differences in recent psychopathology; Two clinical samples with DSM-IV major depression syndrome: suicidal adolescents (attempters + suicide ideators) and non-suicidal depressed peers; Differences between parent and adolescent interviews **74,** 229

Serotonin; Sex; Stress; Learning; Ovarian steroids; Mood **74,** 85

Serotonin; 5-HT_{2a}; Attempted suicide; Personality; Temperament **74,** 149

Sex; Stress; Learning; Ovarian steroids; Serotonin; Mood **74,** 85

Sex differences; Depression; Longitudinal follow-up; Developmental patterns **74,** 33

Sex hormones; Women; Mood disorders; Neurotransmitters **74,** 67

Social cohesion; Suicide rates; General elections; Aftermath of suicide; Suicide survivors **74,** 257

SPAQ; Bipolar affective disorder; Seasonality **74,** 167

Specialised psychiatric Parent and Baby Day Unit; Postnatal depression; Routine primary care **74,** 159

Stress; Depression; Women; Interpersonal; Family **74,** 49

Stress; Sex; Learning; Ovarian steroids; Serotonin; Mood **74,** 85

Suicidal ideation; Depression; Population attributable risk **74,** 267

Suicide rates; General elections; Social cohesion; Aftermath of suicide; Suicide survivors **74,** 257

Suicide survivors; Suicide rates; General elections; Social cohesion; Aftermath of suicide **74,** 257

Temperament; Depression; Personality; Canonical correlation **74,** 123

Temperament; Serotonin; 5-HT_{2a}; Attempted suicide; Personality **74,** 149

Treatment-refractory affective disorder; Depression; Life charting, monoamines; Cerebrospinal fluid; Lifetime burden of depression **74,** 185

Two clinical samples with DSM-IV major depression syndrome: suicidal adolescents (attempters + suicide ideators) and non-suicidal depressed peers; Semi-structured interview—differences in recent psychopathology; Differences between parent and adolescent interviews **74,** 229

Unipolar depression; Vulnerability; Bipolar disorder **74,** 173

Unipolar disorder; Lithium; Bipolar disorder; 'Reasons for Stopping Medication' questionnaire; Clinicians; Patients **74,** 287

Vascular risk; Depression; Older adults; Life events; Difficulties; Neuroticism **74,** 237

Vulnerability; Unipolar depression; Bipolar disorder **74,** 173

Women; Major depression; Female; Economic; Costs **74,** 15

Women; Depression; Stress; Interpersonal; Family **74,** 49

Women; Mood disorders; Neurotransmitters; Sex hormones **74,** 67

Vol. 74
Contents

2003